


PAT 2

C/KU Band Uplink Trucks



Our unit offers dual-band satellite C & Ku transmission in a single, integrated package and *ESPN certified*. The climate-controlled shelter provides a comfortable workspace for up to five staff members and supports up to eight camera feeds routed to our Ross Graphite Switcher console. Newtek 3Play replay, Ross Xpression graphics and tactical fiber runs up to 1,500', intercom and IFB feeds for seamless communication.



Inside our C/Ku Uplink trucks

Satellite

- 2.4 Meter AvL dual band
- C Band & Ku Band
- Newtec M6100 DVB-S2

Encoding / Decoding

- Ericsson AVP 2000
- Sencore MRD
- Appear X20

Vehicle

- Ford F-550 Turbo Diesel
- Two 1 - Ton Air Conditioners

Intercom

- Clearcom base and headsets
- Studiotech IFB

Power

- 12kW Generator
 - Redundant 12kW UPS
- 208vac @ 70A, single phase (L1/L2/N + ground) with input power CAM-Lok connectors.
- 5 position boost tap switch for low power feeder:

RF

- Advantech 250w C-band amps x2
- Advantech 125w Ku-band amps x2

Media Storage

- Hyperdeck Shuttle
- Hyperdeck studio
- Tricaster

Audio

- Mackie 16 Channel mixer
- 8 channel sub-mixer
- Shotgun, Wireless, lavalier

5G IP

- Peplink router
- Remote management
- Two Voice lines

TRANSFORMER TAP POSITIONS

POS	MAKE	TAPS	VOLTS
1	1 2	1 6	209
2	5 6	2 6	215
3	9 10	2 5	220
4	3 4	3 5	226
5	7 8	3 4	231

EMERGENCY STANDBY GENERATOR: Onan 12kW 120/240vac						
Model	Fan	Hz	Watts	Voltage	Amps	Phase
12.5 HDKCB- -11506	Internal	60	12500	120/240	104.0	1
				52.0	52.0	50A 2-pole

For more information please contact:

David Simpson
david@streamingmedialive.com
+1 (818) 974-4000

Guissell Martinez
guissell@streamingmedialive.com
+1 (805) 420-5555

Production Equipment - PAT 2

Our HD Production unit offers dual-band satellite C & Ku transmission in a single, integrated package and *ESPN certified*. The climate-controlled shelter provides a comfortable workspace for up to five staff members and supports multiple camera feeds routed to our Ross Graphite Switcher console. Newtek 3Play replay, Ross Xpression graphics and tactical fiber runs up to 1,500', intercom and IFB feeds for seamless communication.



Inside our PAT trucks

Cameras

- Sony PDW F-800 or
- Blackmagic URSA G2
- Atem Fiber Controllers
- Ikan Teleprompter
- 1500' 12 Strand Fiber

Encoding

- MediaKind AVP2000
- LiveU LU-610

Switcher

- Ross Graphite-4RU-Engine-M8
- Ross Graphite TD2-PANEL

Graphics

- Ross XPression

Frame Sync

- Blackmagicdesign Teranex 2D Processor

Media Storage

- Hyperdeck Shuttle
- Hyperdeck studio
- Tricaster

Audio

- Mackie 16 Channel mixer
- 8 channel sub-mixer
- Shotgun, Wireless, lavalier

Intercom

- Clearcom base and headsets
- Studiotech IFB
- (3) Verizon Phone Lines

5G IP

- Peplink router
- Remote management
- Two Voice lines




Vehicle

- Ford F-550 Turbo Diesel
- Two 1 - Ton Air Conditioners

For more information please contact:

David Simpson
david@streamingmedialive.com
+1 (818) 974-4000

Guissell Martinez
guissell@streamingmedialive.com
+1 (805) 420-5555



For more information please contact:

David Simpson
 david@streamingmedialive.com
 +1 (818) 974-4000

Guissell Martinez
 guissell@streamingmedialive.com
 +1 (805) 420-5555